


RDSO Specification: RDSO/SPN/TC/62/2008

To Display Precise and accurate time on all digital clocks placed throughout any organization or commercial places and also it eliminates the need for manual setting of time.

FEATURES

- ❖ Master clock can control up to 64 slave clocks.
- ❖ Master clock synchronizes time across all slave clocks.
- ❖ Built-in controls are provided for setting 12 or 24 hour time format.
- ❖ Master clock Synchronizes with GPS time.
- ❖ Built-in RTC in Master in case of GPS data not available.
- ❖ Isolated current loop communication between Master and Slave Clocks.
- ❖ Proper communication protocols are used for reliable communication.
- ❖ Slave clocks communication health status is indicated in Master.
- ❖ Time display in Digital clocks with built-in RTC even when connection fails with Master.
- ❖ Power ON self diagnosis for testing different peripherals and communication ports.
- ❖ Password authentication provision is provided for time setting and port testing through user interface of master clock.
- ❖ Protection against transient and voltage fluctuations in power supplies is provided.
- ❖ IP 54 Compliance.
- ❖ Class 'D' surge protection in data communication.
- ❖ Operating i/p voltage range : 160V-270V AC
- ❖ Available Display colors : Red and Green.
- ❖ Display type : Seven segment display.
- ❖ Display format : 12 / 24 hr. With or with out seconds.



Digital clocks as per RDSO specification			
Clock Description	Size of 7segment LED matrix H(mm) X W(mm)	Maximum housing dimensions H(mm)XL(mm)XD(mm)	Time Format
Big digital clock with single side. (Out door)	320 X 150	510 X 1200 X 250	HH:MM
Big Digital clock with double side. (Out door)	320 X 150	510 X 1200 X 300	
Small Digital clock with single side.(In door)	70 X 37	150 X 420 X 100	HH:MM:SS

- ❖ Digital clocks can be customised for different sizes, single side/ Double side, with / without seconds display etc.